

3295-0027-0 CIP

13/378000
4-3-0

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF:
BRUCE G. KANIA

:

SERIAL NUMBER: 09/418,505

: GROUP ART UNIT: 3738

FILED: OCTOBER 15, 1999

: EXAMINER: PREBILIC, PAUL B.

FOR: A TUBE SOCK-SHAPED COVERING:

LETTER REQUESTING APPROVAL OF DRAWING CHANGES

ASSISTANT COMMISSIONER FOR PATENTS


WASHINGTON, D.C. 20231

SIR:

Please review for approval the proposed changes to the Formal Drawings shown in
RED on the attached photocopies of the drawings.

Once these changes have been reviewed and approved by the Examiner in charge of
this case, instructions for their implementation will be forwarded to an approved bonded
draftsman.

Respectfully submitted,



Norman F. Oblon
Attorney of Record
Registration No. 24,618
James R. Boler
Registration No. 37,058
OBLON, SPIVAK, McCLELLAND,
MAIER, & NEUSTADT, P.C.
1755 Jefferson Davis Highway, 4th Fl.
Arlington, Virginia 22202
(703) 413-3000
Fax No. (703) 413-2220



22850

I:\atty\JRB\3295\0027\LTR-Draftsperson.wpd




FIG. 1A
a




FIG. 1B
b




FIG. 2A
a




FIG. 2B
b

OK-
to
make
changes
PBT
6/4/02




FIG. 3A^a




FIG. 3B^b




FIG. 3C^c




FIG. 4


MADE IN CHINA
CPC 3700 MAIL ROOM

OK
to
make
change
PBP
6/4/02

O.k.
to
make
changes
PBP
6/4/02

OPTIONAL THINNER POSTERIOR ("RECESSED ACHILLES" CONCEPT)

THINNEST
AT THIS
END



HERE
HATCHED
AREA
THICKEST

HERE
THICKNESS OF
DOTTED AREA
INBETWEEN THAT
AT HATCHED
AREA AND
REST OF LINER

FRONT VIEW
CONTOURED WALL LINER

SIDE VIEW
CONTOURED WALL LINER

TAPERED WALL LINER
FIG. 6

UNIFORM WALL LINER
FIG. 5

FIG. 7B

FIG. 7A

O.K.
to
make
changes
PBD
6/4/02







FIG. 12

O.k.
to
make
change
PBP
6/4/02



10% HIGH WEAR RESISTANT ELASTIC FABRIC
90% THIN HIGHLY ELASTIC FABRIC

FIG. 14



90% HIGH WEAR RESISTANT ELASTIC FABRIC
10% THIN HIGHLY ELASTIC FABRIC

FIG. 15




FIG. 20A
a






FIG. 20B
b



4 PIECE PATTERN
FIG. 21A
a



3 PIECE PATTERN
FIG. 21B
b




FIG. 22

O.K.
to
make
change
PBP
6/4/02




FIG. 24A
a



3 SAMPLE PROFILES
FOR ANNULAR RINGS

FIG. 24B
b

O.k.
to
make
changes
PBN
6/4/02